## Brain Function Assessment Form™ (BFAF)

Name:				Ag	e: Sex: Date:				
Please circle the appropriate number on all questions belo	w. (	) a:	s th	ie lea	st/never to 3 as the most/always.				
SECTION 1					SECTION 4				
A decrease in attention span	0	i	2	3	Reduced function in overall hearing	0	1	2	3
Mental fatigue	0	1	2	3	Difficulty understanding language with background				
Difficulty learning new things	0	1	2	3	or scatter noise	0	1	2	3
Difficulty staying focused and concentrating					Ringing or buzzing in the ear	0	1	2	3
for extended periods of time	0	1	2	3	Difficulty comprehending language without				
Experiencing fatigue when reading sooner					perfect pronunciation	-		2	
than in the past	0	I	2	3	Difficulty recognizing familiar faces	0	1	2	3
<ul> <li>Experiencing fatigue when driving sooner than in the past</li> </ul>	0	1	2	3	• Changes in comprehending the meaning of sentences, written or spoken	0	1	2	3
Need for caffeine to stay mentally alert	0	1	2	3	Difficulty with verbal memory and finding words	0	1	2	3
Overall brain function impairs your daily life	0	1	2	3	Difficulty remembering events	0	1	2	3
					Difficulty recalling previously learned facts and names	0	1	2	3
SECTION 2					Inability to comprehend familiar words when read	0	1	2	3
Twitching or tremor in your hands and legs					Difficulty spelling familiar words	0	l	2	3
when resting	0	i	2	3	Monotone, unemotional speech	0	t	2	3
<ul> <li>Handwriting has gotten smaller and more crowded together</li> </ul>	0	1	2	3	Difficulty understanding the emotions of others when they speak (nonverbal cues)	0	1	2	3
<ul> <li>A loss of smell to foods</li> </ul>	0	1	2	3	Disinterest in music and a lack of appreciation				
<ul> <li>Difficulty sleeping or fitful sleep</li> </ul>	0	1	2	3	for melodics	0	l	2	3
<ul> <li>Stiffness in shoulders and hips that goes away</li> </ul>					Difficulty with long-term memory	0	i	2	3
when you start to move	0		2	_	Memory impairment when doing the basic activities				
• Constipation	0		2	_	of daily living	0		2	
Voice has become softer	0		2		Difficulty with directions and visual memory	0	1	2	3
Facial expression that is serious or angry	0	1	2	3	Noticeable differences in energy levels throughout the day	0	1	2	3
Episodes of dizziness or light-headedness upon standing	Α	1	2	3	the day	"	•	~	-
<ul> <li>A hunched over posture when getting up and walking</li> </ul>	0	-	_	_					
the state of the posture when gotting up and warking	Ü	•	_	J					
SECTION 3					SECTION 5				
<ul> <li>Memory loss that impacts daily activities</li> </ul>	0	1	2	3	Difficulty coordinating visual inputs				
<ul> <li>Difficulty planning, problem solving, or working with numbers</li> </ul>	0	1	2	3	and hand movements, resulting in an inability to efficiently reach for objects	0	1	2	3
Difficulty completing daily tasks	0	1	2	3	Difficulty comprehending written text	0	1	2	3
• Confusion about dates, the passage of time, or place	0	1	2	3	Floaters or halos in your visual field	0	1	2	3
Difficulty understanding visual images and spatial relationships (addresses and locations)				3	Dullness of colors in your visual field during different times of the day	0	ı	2	3
Difficulty finding words when speaking				3	Difficulty discriminating similar shades of color	0	1	2	3
Misplacement of things and inability to retrace steps				3					
Poor judgment and bad decisions				3					
Disinterest in hobbies, social activities, or work				3					
Personality or mood changes				3					

## Brain Function Assessment Form™ (BFAF)

Please circle the appropriate number on all questions below. 0 as the least/never to 3 as the most/always.

SECTION 6	1	SECTION 9	
<ul> <li>Difficulty with detailed hand coordination</li> </ul>	0 1 2 3	A decrease in movement speed	0 1 2 3
<ul> <li>Difficulty with making decisions</li> </ul>	0 1 2 3	Difficulty initiating movement	
Difficulty with suppressing socially		Stiffness in your muscles (not joints)	0 1 2 3
inappropriate thoughts	0 1 2 3	A stooped posture when walking	
Socially inappropriate behavior	0 1 2 3	Cramping of your hand when writing	
<ul> <li>Decisions made based on desires, regardless of the consequences</li> </ul>	0 1 2 3	The state of the s	0 1 2 3
<ul> <li>Difficulty planning and organizing daily events</li> </ul>	0 1 2 3		
• Difficulty motivating yourself to start and finish tasks	0 1 2 3		
A loss of attention and concentration	0 1 2 3		
SECTION 7		SECTION 10	
<ul> <li>Hypersensitivities to touch or pain</li> </ul>	0 1 2 3	Abnormal body movements (such as twitching legs)	0 1 2 3
<ul> <li>Difficulty with spatial awareness when moving,</li> </ul>		<ul> <li>Desires to flinch, clear your throat.</li> </ul>	0 1 2 3
laying back in a chair, or leaning against a wall	0 1 2 3	or perform some type of movement	0 1 2 3
Frequently bumping into the wall or objects	0 1 2 3	<ul> <li>Constant nervousness and a restless mind</li> </ul>	0 1 2 3
<ul> <li>Difficulty with right-left discrimination</li> </ul>	0 1 2 3	<ul> <li>Compulsive behaviors</li> </ul>	0 1 2 3
<ul> <li>Handwriting has become sloppier</li> </ul>	0 1 2 3	<ul> <li>Increased tightness and tone in specific muscles</li> </ul>	0 1 2 3
<ul> <li>Difficulty with basic math calculations</li> </ul>	0 1 2 3		
<ul> <li>Difficulty finding words for written or verbal communication</li> </ul>	0 1 2 3		
Difficulty recognizing symbols, words, or letters	0 1 2 3		
SECTION 8		SECTION 11	
<ul> <li>Difficulty swallowing supplements or large bites of food</li> </ul>	0 1 2 3	<ul> <li>Difficulty with balance, or balance that is noticeably worse on one side</li> </ul>	0 1 2 3
<ul> <li>Bowel motility and movements slow</li> </ul>	0 1 2 3	A need to hold the handrail or watch each step	0 1 2 3
Bloating after meals	0 1 2 3	carefully when going down stairs	0 1 2 3
Dry eyes or dry mouth	0 1 2 3	<ul> <li>Episodes of dizziness</li> </ul>	0 1 2 3
A racing heart	0 1 2 3	<ul> <li>Nausea, car sickness, or seasickness</li> </ul>	0 1 2 3
A flutter in the chest or an abnormal heart rhythm	0 1 2 3	<ul> <li>A quick impact after consuming alcohol</li> </ul>	0 1 2 3
Bowel or bladder incontinence,		<ul> <li>A slight hand shake when reaching for something</li> </ul>	0 1 2 3
resulting in staining your underwear	0 1 2 3	Back muscles that tire quickly when standing or walking	
		Chronic neck or back muscle tightness	0 1 2 3
		and the state of state of the s	0 1 2 3

4. 2013 Date Kharaznar All Rights Reserved SMGE10-AF3200820133

## Brain Health and Nutrition Assessment Form™ (BHNAF)

Name:					Age:	Sex: Date:					
Please circle the appropriate number on all questions be	elow.	0	as								_
SECTION 1					!	SECTION 5					
<ul> <li>Low brain endurance for focus and concentration</li> </ul>	0	ı	1 2	2.	3	Dry and unhealthy skin	Λ			1	•
<ul> <li>Cold hands and feet</li> </ul>	0	1	2	2 .	3	Dandruff or a flaky scalp		)			
<ul> <li>Must exercise or drink coffee to improve brain function</li> </ul>	0	1	2	2 :	3	Consumption of processed foods that	()	1		۷ .	)
Poor nail health	0	1	2	2 :	3	are bagged or boxed	0	1	,	2 .	3
<ul> <li>Fungal growth on tocnails</li> </ul>	0	1	2	2	3	Consumption of fried foods	0	1		2 .	3
<ul> <li>Must wear socks at night</li> </ul>	0	1	2	2 3	3	Difficulty consuming raw nuts or seeds	0	1	. :	2 :	3
<ul> <li>Nail beds are white instead of pink</li> </ul>	0	1	2	2 3	3	• Difficulty consuming fish (not fried)	0	1		2.	3
The tip of the nose is cold	0		2		ŀ	<ul> <li>Difficulty consuming olive oil, avocados, flax seed oil, or natural fats</li> </ul>	0	1	1	2.	3
SECTION 2						SECTION 6					
<ul> <li>Irritable, nervous, shaky, or light-headed between meals</li> </ul>	0	1	2	. 3	3	Difficulty digesting foods	0	1	-	, .	ŧ
· Feel energized after meals	0	1	2	3	3	Constipation or inconsistent bowel movements		1			
<ul> <li>Difficulty eating large meals in the morning</li> </ul>	0	1	2	3	3	Increased bloating or gas		1			
<ul> <li>Energy level drops in the afternoon</li> </ul>	0	1	2	3	3	Abdominal distention after meals		1			
· Crave sugar and sweets in the afternoon	0	1	2	3	3	Difficulty digesting protein-rich foods				2 3	
· Wake up in the middle of the night	0	1	2	3	3	Difficulty digesting starch-rich foods		1			
<ul> <li>Difficulty concentrating before eating</li> </ul>	0	1	2	3	,	Difficulty digesting fatty or greasy foods		1			
<ul> <li>Depend on coffee to keep going</li> </ul>	0	1	2	3	;	Difficulty swallowing supplements or large bites of food		1			
						Abnormal gag reflex		es (			
SECTION 3						SECTION 7					
Fatigue after meals	0	1	2	3		Brain fog (unclear thoughts or concentration)	v			NI.	
Sugar and sweet cravings after meals	0	1	2	3		Pain and inflammation		es (			
Need for a stimulant, such as coffee, after meals	0	1	2	3		Noticeable variations in mental speed		es (			
Difficulty losing weight	0	1	2	3		Brain fatigue after meals		es c			
Increased frequency of urination	0	1	2	3		Brain fatigue after exposure to chemicals, scents,	v	•	۷	J	
Difficulty falling asleep	0	1	2	3	- 1	or pollutants	0	1	2	3	
Increased appetite	0	1	2	3		Brain fatigue when the body is inflamed	0	1	2	3	
SECTION 4						CECTION 0					
Always have projects and things that need to be done	0	1	2	2	- 1	SECTION 8					
Never have time for yourself	0					• Grain consumption leads to tiredness	0	1	2	3	
Not getting enough sleep or rest					- 1	Grain consumption makes it difficult to focus and concentrate	0	1	7	2	
Difficulty getting regular exercise	-	1	2		1	Feel better when bread and grains are avoided		i			
	0					Grain consumption causes the development	U	1	4	3	
Feel that you are not accomplishing your life's purpose		ı	4		1	1					
of that you are not accomplishing your me's purpose	•					of any symptoms	0	1	2	3	

## Brain Health and Nutrition Assessment Form™ (BHNAF)

Please circle the appropriate number on all questions below. 0 as the least/never to 3 as the most/always.

SECTION 9		SECTION 12	
A diagnosis of celiac disease, gluten sensitivity,		A decrease in visual memory (shapes and images)	Yes or No
hypothyroidism, or an autoimmune disease	Yes or No	A decrease in verbal memory	0 1 2 3
Family members who have been diagnosed with an autoimmune disease	Yes or No	Occurrence of memory lapses	0 1 2 3
Family members who have been diagnosed	ies of No	A decrease in creativity	0 1 2 3
with celiac disease or gluten sensitivity	Yes or No	A decrease in comprehension	0 1 2 3
Changes in brain function with stress, poor sleep,		Difficulty calculating numbers	0 1 2 3
or immune activation	0 1 2 3	Difficulty recognizing objects and faces	0 1 2 3
		A change in opinion about yourself	0 1 2 3
		Slow mental recall	0 1 2 3
SECTION 10		SECTION 13	
A loss of pleasure in hobbies and interests	0 1 2 3	A decrease in mental alertness	0 1 2 3
Feel overwhelmed with ideas to manage	0 1 2 3	A decrease in mental speed	0 1 2 3
Feelings of inner rage or unprovoked anger	0 1 2 3	A decrease in concentration quality	0 1 2 3
Feelings of paranoia	0 1 2 3	Slow cognitive processing	0 1 2 3
Feelings of sadness for no reason	0 1 2 3	Impaired mental performance	0 1 2 3
A loss of enjoyment in life	0 1 2 3	An increase in the ability to be distracted	0 1 2 3
A lack of artistic appreciation	Yes or No	Need coffee or caffeine sources to improve	
Feelings of sadness in overcast weather	0 1 2 3	mental function	0 1 2 3
A loss of enthusiasm for favorite activities	0 1 2 3		
A loss of enjoyment in favorite foods	0 1 2 3		
A loss of enjoyment in friendships and relationships	0 1 2 3		
Inability to fall into deep, restful sleep	0 1 2 3		
Feelings of dependency on others	0 1 2 3		
Feelings of susceptibility to pain	0 1 2 3		
SECTION 11		SECTION 14	
Feelings of worthlessness	0 1 2 3	Feelings of nervousness or panic for no reason	0 1 2 3
Feelings of hopelessness	0 1 2 3	Feelings of dread	0 1 2 3
Self-destructive thoughts	0 1 2 3	Feelings of a "knot" in your stomach	0 1 2 3
Inability to handle stress	0 1 2 3	Feelings of being overwhelmed for no reason	0 1 2 3
Anger and aggression while under stress	0 1 2 3	Feelings of guilt about everyday decisions	0 1 2 3
Feelings of tiredness, even after many hours of sleep	0 1 2 3	A restless mind	0 1 2 3
A desire to isolate yourself from others	0 1 2 3	An inability to turn off the mind when relaxing	0 1 2 3
An unexplained lack of concern for family and friends	0 1 2 3	Disorganized attention	0 1 2 3
An inability to finish tasks	0 1 2 3	Worry over things never thought about before	0 1 2 3
Feelings of anger for minor reasons	0 1 2 3	Feelings of inner tension and inner excitability	0 1 2 3